



CYCLOHEXANE

TEST ITEM	TEST METHOD	UNIT	SPECIFICATIO N
Cyclohexane content	ASTM D3054-98	wt %	99.9 min.
Benzene content	ASTM D3054-98	wt %	0.005 max.
n-Hexane	ASTM D3054-98	wt %	0.020 max
Methylcyclopentane	ASTM D3054-98	wt %	0.015 max.
Methylcyclohexane	ASTM D3054-98	wt %	0.020 max.
Nonvolatile Matter	ASTM D1353-13 (21)	mg/100 mL	1 max.
Total Sulfur	ASTM D5453-19a	wt ppm	1 max.
Color Pt-Co	ASTM D5386-16	-	10 max.
Sp.Gr.@ 60/60 °F	ASTM D4052-18a	-	0.779 - 0.784
Density @ 15 °C	ASTM D4052-18a	g/mL	Report