



## ISOPROPYL ALCOHOL

| PROPERTY                  | UNIT    | VALUE                                | TEST METHOD |
|---------------------------|---------|--------------------------------------|-------------|
| Purity                    | % m/m   | > 99.8                               | DIN 55685   |
| Water                     | % m/m   | < 0.1                                | ASTM D1364  |
| Density @ 20 °C           | g/ml    | > 0.785 - < 0.786                    | ASTM D4052  |
| Colour                    | Pt-Co   | <5                                   | ASTM D1209  |
| Acidity as Acetic Acid    | % m/m   | <0.001                               | ASTM D1613  |
| Appearance                | -       | Clear and free from suspended Matter | ASTM D4176  |
| Refractive Index at 20 °C |         | >1.376 - <1.378                      | ASTM D1218  |
| Non Volatile Matter       | g/100ml | <0.001                               | ASTM D1353  |
| Distillation, IBP         | °C      | >81.8                                | ASTM D1078  |
| Distillation, DP          | °C      | <82.8                                | ASTM D1078  |
| Water Miscibility         |         | Miscible                             | ASTM D1722  |